

Xerox® Phaser® 4622
Letter-size
Black-and-white
Printer



Phaser 4622 Black-and-white Printer

Power workplace productivity with
one affordable workhorse device.





Xerox® Phaser® 4622 Printer

Print more in less time. The Phaser 4622 meets your productivity challenge at a value price, giving your workgroup heavy-duty reliable performance – page after page, year after year.

Keep your workplace fast and flexible.

In business, you can't miss a beat. The new Phaser 4622 gives you the speed and flexibility to keep you on task and in control – without sacrificing print quality.

- **Raise the bar on performance.** With print speeds of up to 65 ppm, it's never been easier to keep a productive pace.
- **Lightning fast output.** As few as 7.8 seconds from the time you press start to your first page view.
- **Swift throughput.** The Phaser 4622's Dual core floating point processor makes it possible.
- **Exceptional sharpness and clarity.** With image quality of up to 1200 x 1200, you'll clearly see the difference with every document.
- **Meet heavy-duty office demands.** With a monthly duty cycle of up to 275,000 prints, the Phaser 4622 is built to take on whatever your office can dish out.
- **Keep the peace.** The Phaser 4622 is engineered for exceptionally quiet operation to minimize the impact on busy offices.

Print your way, every day.

You'll be pleasantly surprised by the wide variety of print options available with the Phaser 4622.

- **Print on the go.** With native support for Apple® Airprint™, the Phaser 4622 gives you access to the most widely used mobile print tool available for today's office.
- **Easy does it.** You'll be up and printing in minutes thanks to the simplified front console and automated setup feature.
- **Print out of the box.** The Phaser 4622 expands your creativity, allowing you to print on just about everything from transparencies, to cardstock, to envelopes and labels – and more.
- **Flexible paper options.** A 550-sheet capacity main paper tray can easily accommodate paper sizes from 3.86 x 5.8 inches to full legal size.
- **Finish strong.** The optional 500-sheet finisher gives you added muscle to staple up to 50 sheets automatically. A great way to further extend your office productivity.¹
- **Handle complex documents with ease.** Get standard memory capacity of 256 MB or expand to an optional size of 768 MB to meet your growing needs.

Keep your office lean and green.

The Phaser 4622 truly delivers an affordable office device that works hard for your office while being just as mindful of the world outside of it.

- **Paper cuts.** Highly efficient, hassle-free two-sided printing can easily cut your paper consumption in half while saving you time and money.
- **Reduce paper costs.** Single sheet, N-up printing lets you group multiple pages on a single sheet, so you cut down on paper usage and cost.
- **Use consumables more efficiently.** Our split consumables mean you replace only what you use – so you get the most out of every user-replaceable component.
- **Drum out waste.** The Phaser 4622's long-life marking drum is engineered for longer life so you replace it far less – reducing toner waste and cost.

Focus on the work that needs to get done. With the efficiency, productivity and security of the Xerox Phaser 4622, even the fastest-paced offices can accomplish more tasks in less time with one affordable, secure device.

Achieve total print control across your entire network.

- **Connect with ease.** Enjoy built-in support for Ethernet 10/100/1000Base-T networks.
- **Flexible placement.** Put your Phaser 4622 exactly where you need it with an optional internal wireless support feature.
- **Desktop print management.** Xerox® CentreWare® Internet Services and Xerox® CentreWare® Web let you manage key printer features remotely -- right from your desktop.

Keep business-critical data safe.

The Phaser 4622 offers industry-leading security features that can effectively reduce security risks related to your documents and other office information.

- **Iron-clad security.** With standard, built-in support for IPv6 and IPsec, the Phaser 4622 implements the most stringent security options available anywhere.
- **Your eyes only.** The Image Overwrite feature completely removes unneeded data from printer storage so unauthorized users are denied access to sensitive information.
- **Safeguard active documents.** The Phaser 4622's hard disk encryption protocol is truly state-of-the-art, allowing you to protect active documents you save in the printer's memory.
- **Release documents only when you're ready.** With the device's Secure Print feature, private jobs are held in the print queue until they're released at the device by the job originator.
- **Wireless security.** Employ the optional WPA 2 Enterprise Wi-Fi feature for superior security in wireless workplaces.

Exceptional value with room to grow.

Standard:

- 1 100-sheet Multipurpose Tray (Tray 1)
- 2 550-sheet feeder (Tray 2)
- 3 Port for USB memory devices
- 4 Automatic Duplexing

Optional:

- 5 500-sheet Finisher with Stapler (Outputs face down)
- 6 4-bin mailbox (not pictured)
- 7 Wireless Network Adapter
- 8 550-sheet feeders (Trays 3 and 4)*
- 9 2,000-sheet high-capacity feeder (includes stand)
- 10 Stand

* Tray 3 is standard on DT configuration



Xerox® Phaser® 4622

Black-and-white Printer

Device Specifications	Phaser 4622DN	Phaser 4622DT
Speed	Up to 65 ppm	
Duty Cycle ¹	275,000 pages / month ¹	
Hard Drive / Processor / Memory	Optional 320 GB Hard Drive / 600 MHz Dual Core ARM / 256 MB (std), 768 MB (max)	
Connectivity	10/100/1000Base-T Ethernet, USB 2.0, Optional Wireless 802.11n with WPA 2 Enterprise	
Print		
Resolution (max)	600 x 600 dpi, up to 1200 x 1200 enhanced image quality	
First-print-out Time (as fast as)	7.8 seconds	
Page Description Languages	PCL® 6, PCL 5e, PostScript 3 emulation, PDF, Epson	
Print Features	256 levels of halftone (grayscale), Watermarks, N-up, Fit to Page, Scaling, Reduce/enlarge, Toner Saver, Print from USB, Print Around, Collation, Secure Print, Personal Print, Smart Duplex	
Paper Input		
Standard	Tray 1 (MPT): 100 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm	
	Tray 2: 550 sheets; Custom sizes: 3.88 x 5.85 in. to 8.5 x 14 in. / 98.6 x 148.5 mm to 216 x 356 mm	
Optional	Tray 3: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm	Standard
	Tray 4: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm	
	Tray 5: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm	
	Tray 6: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm	
	High Capacity Feeder (Add to Trays 1-4): 2,000 sheets; Standard Sizes: Letter, Legal, Folio, A4	
Paper Output / Finishing		
Standard	500 sheets	
Optional (choose one)	Finisher: 500-sheet tray, 50-sheet stapling (face down)	
	Mailbox: Four 100-sheet bins	
Automatic Two-sided Printing	Standard	
Warranty	One-year on-site warranty, earn free service coverage with Xerox eConcierge®, Xerox® Total Satisfaction Guarantee	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

Device Management

Xerox® CentreWare® Internet Services, CentreWare Web, WebJet Admin Interface, Tivoli, Bonjour, Low Toner Email Alert

Print Drivers

Microsoft® Windows® XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2012; Mac® OS 10.5 and higher; Various Linux including Red Hat® Enterprise 4,5; Sun Microsystems Solaris™ 9,10; Fedora™ Core 1-11; SUSE; IBM AIX®5, HP-UX 11.0/11i, Novell NetWare® 5.x,6.x Open Enterprise Server, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Security

Secure HTTPS (SSL), IPsec, 802.1X, IPv6 Compatibility, Network Authentication, SNMPv3, Image Overwrite, Audit Log, Xerox Secure Access Unified ID System® (optional), IP Filtering, WPA 2 Enterprise

Font Capability

136 PostScript® fonts; 93 PCL® fonts

Media Handling

Tray 1 (MPT): 16-58 lb. bond / 60-220 gsm; Trays 2-6: 16-32 lb. bond / 60-163 gsm; High-Capacity Feeder: 16-24 lb. bond / 60-90 gsm; Media Types: Plain paper, Pre-punched, Transparencies, Preprinted, Heavyweight, Recycled, Bond, Labels, Archive, Cardstock

Operating Environment

Operating: 50° to 86° F / 10° to 30° C; Storage: -4° to 104° F / 20° to 40° C; Relative humidity: 20 to 85 %; Sound pressure levels: 58 dB(A), Ready: 30 dB(A); Warm up (from power save): First print: As fast as 45 seconds; User Interface ready and programmable: 2 seconds; Warm up (from power on): 65 seconds; User interface ready and programmable: 54 seconds (max)

Electrical

110-127 VAC, 50/60 Hz or 220-240 VAC, 50/60 Hz; Power consumption: Printing 900 W, Standby: 120 W, Power Save: 2.8 W

Dimensions (WxDxH)

4622DN: 18.7 x 21.3 x 16.5 in. / 476 x 541 x 420 mm; Weight: 76.3 lb. / 34.6 kg; 4622DT: 18.7 x 21.3 x 22.3 in. / 476 x 541 x 566 mm; Weight: 101.4 lb. / 46 kg

Certifications

Listed to UL 60950-1/CSA 60950-1-07+A1:2011, 2nd Edition, FDA/CDRH – Class 1 Laser Product, FCC Part 15, Class A, Canada ICES-003, Class A, CE marked, Low Voltage Directive 2006/95/EC, EN 60950-1, 2nd Edition, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class A, EN 55024, RoHS Directive 2011/65/EC, WEEE Directive 2002/96/EC, ENERGY STAR qualified (4622), Section 508 Compliant, Blue Angel certified*, TAA compliant (requires YDN configuration), Apple® Airprint™ certified

What Comes In The Box

- Phaser 4622 Printer
- Toner Cartridge (10,000 print capacity)
- Drum Cartridge (80,000 print capacity)
- Software and Documentation CD
- Power Cord

Supplies

Standard Capacity Toner Cartridge:	13,000 pages**	106R01533
High Capacity Toner Cartridge:	30,000 pages**	106R01535
TAA compliant High Capacity Toner Cartridge		106R02638
Staple Cartridge:		
3 cartridges with 15,000 staples each		008R12941
Routine Maintenance Items		
Maintenance Kit, 110V: 150,000 pages***		115R00069
Maintenance Kit, 220V: 150,000 pages***		115R00070
Xerox® Smart Kit® Drum Cartridge: 80,000 pages***		113R00762
TAA compliant Drum Cartridge**		113R00769

Options

Hard Drive Kit: 320 GB		097N02157
550-sheet Paper Tray		097N01874
2,000-sheet High-capacity Feeder (includes Stand)		097N01875
Finisher / Stapler		097N01876
4-bin Mailbox		097N01877
Stand		097N01916
512 MB Memory		097N01878
Internal Wireless Network Adapter		097N01880

* Phaser 4622A is the Blue Angel compliant configuration at 55ppm.
 ** Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.
 *** Approximate pages. Declared Yield based on letter-/A4-size 20 lb. (75 gsm) pages. Yield will vary based on media type, size, weight, orientation, and usage patterns.

For more information, visit us at www.xerox.com/office

©2015 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Global Print Driver®, Mobile Express Driver®, Phaser®, Smart Kit®, Xerox eConcierge® and Xerox Secure Access Unified ID System® are trademarks of Xerox Corporation in the United States and/or other countries. Product information and/or specifications are subject to change without notice. Updated 3/15 BR8441 462BR-02UC

